

Keywords: hypermedia design principles, hypermedia templates, intermedia

5 Document means more than manual: document design outside the computer industry



Lorraine Wilkin, Wendie Wulff, Fitch Richardson Smith

September 1990 ACM SIGDOC Asterisk Journal of Computer Documentation, Proceedings of the 8th annual international conference on Systems documentation SIGDOC '90, Volume 14 Issue 4

Publisher: ACM Press

Full text available: pdf(2.72 MB)

Additional Information: full citation, references, citings, index terms

PDAS: An assistant for detailed design and implementation of programs Tomoharu Mohri, Etsuo Ono, Sanya Uehara, Tetsuyasu Takao, Hideki Sato March 1984 Proceedings of the 7th international conference on Software engineering Publisher: IEEE Press

Full text available: pdf(491.57 KB)

Additional Information: full citation, abstract, references, citings, index terms

The development of reliable documents is an important challenge facing the software industry today. This paper presents the Programming and Design Assist System (PDAS), which supports detailed design and implementation of system programs. PDAS uses a design language as the kernel of the system. Japanese/English documents and programs are generated from specifications written in the design language. The design language is a forms-oriented language based on PDL. To standardize the level of ab ...

7 Text-editing and photocomposing APL publications



Arlene E. Azzarello

September 1981 ACM SIGAPL APL Quote Quad, Proceedings of the international conference on APL APL '81, Volume 12 Issue 1

Publisher: ACM Press

Full text available: pdf(756.42 KB) Additional Information: full citation, abstract, references, index terms

Producing APL publications in a readable, pleasing, printed format is a challenging and time-consuming task. In an effort to get away from publishing APL documentation reproduced from typewriter terminal or line-printed output, I. P. Sharp Associates experimented with an interface between an APL text editor and a commercial photocomposing typesetter. Producing the Sharp APL Reference Manual [1] revealed some fundamental design issues which must be considered when constructi ...

Stimulating change through usability testing



J. S. Dumas

August 1989 ACM SIGCHI Bulletin, Volume 21 Issue 1

Publisher: ACM Press

Full text available: pdf(778.14 KB)

Additional Information: full citation, abstract, references, citings, index terms

Usability testing is often viewed as a way to improve the usability of products. Testing can, however, have a larger, long-range influence on the way an organization develops its products. As a test specialist, you can use a usability test or set of tests to diagnose such factors as the effectiveness of product design technologies, the technical and managerial skills of the people who produce products, and how well the members of a design team are working together. To make diagnoses at this leve ...

⁹ Eighteen Pascal texts: an objective comparison David V. Moffatt, Patricia B. Moffat June 1982



ACM SIGCSE Bulletin, Volume 14 Issue 2

Publisher: ACM Press

Full text available: pdf(575.20 KB) Additional Information: full citation

10 CogentHelp: a tool for authoring dynamically generated help for Java GUIs




David E. Caldwell, Michael White

October 1997 Proceedings of the 15th annual international conference on Computer documentation

Publisher: ACM Press

Full text available: pdf(727.06 KB) Additional Information: full citation, references, index terms

11 A new process for documenting and checking archival data



May 1981 ACM SIGSOC Bulletin, Proceedings of the joint conference on Easier and more productive use of computer systems. (Part - I): Information processing in the social sciences and humanities - Volume 1981, Volume 12-13 Issue 4-1

Publisher: ACM Press

Full text available: 🔁 pdf(920.44 KB) Additional Information: full citation, abstract, references, index terms

The Inter-university Consortium for Political and Social Research (ICPSR) is a data archive and repository for social science data. A major function of the ICPSR is to disseminate the data holdings in a reasonably standard format. For holdings that will be extensively used, additional effort is made to prepare comprehensive, machine-readable documentation, to cross-check the documentation against the data for accuracy and consistency, and to correct or document any inconsistencies discovered. In ...

12 Developing single-source documentation for multiple formats




Cindy Roposh, Hanna Schoenrock

October 1996 Proceedings of the 14th annual international conference on Systems documentation: Marshaling new technological forces: building a corporate, academic, and user-oriented triangle

Publisher: ACM Press

Full text available: pdf(746.14 KB) Additional Information: full citation, citings, index terms

13 BIBDB: a bibliographic database for collaboration



December 1992 Proceedings of the 1992 ACM conference on Computer-supported cooperative work

Publisher: ACM Press

Full text available: pdf(935.84 KB) Additional Information: full citation, references, index terms

Keywords: bibliographic databases, collaborative writing, distributed & replicated databases, incremental indexing, partial locking, relaxed consistency

14 Status report of the graphic standards planning committee

Computer Graphics staff

August 1979 ACM SIGGRAPH Computer Graphics, Volume 13 Issue 3

Publisher: ACM Press

Full text available: pdf(15.01 MB) Additional Information: full citation, references, citings

15 Test early, test often: a formative usability kit for writers

Sophie Kohn Kaminsky

November 1992 Proceedings of the 10th annual international conference on Systems documentation

Publisher: ACM Press

Full text available: pdf(856.64 KB) Additional Information: full citation, references, citings, index terms

16 Ada®for design: an approach for transitioning industry software developers





July 1982 ACM SIGAda Ada Letters, Volume II Issue 1

Publisher: ACM Press

Full text available: 🔂 pdf(767.93 KB) Additional Information: full citation, abstract, references, citings

DoD requirements to use DoD's new programming language Ada by the mid-1980's will create challenges to developers of military software in a) retraining large populations of experienced software practitioners to use Ada and b) achieving potential productivity and quality gains cited as Ada's life-cycle objectives. Many organizations are planning to use Ada as a software design language to achieve early experience and results in both the training and quality-improvement areas. A common approach in ...

17 Online help systems: a conspectus



Raymond C. Houghton

February 1984 Communications of the ACM, Volume 27 Issue 2

Publisher: ACM Press

Full text available: pdf(730.20 KB)

Additional Information: full citation, abstract, references, citings, index

Users of computer systems are now accustomed to the convenience of online help systems and generally demand these amenities in the computers they buy. However, recent studies as to the efficacy of certain types of assistance for certain classes of users raise important questions for designers.

Keywords: help systems, on-line assistance

18 Incorporation of relevance feedback into Boolean retrieval systems



Tadeusz Radecki

May 1982 Proceedings of the 5th annual ACM conference on Research and development in information retrieval

Publisher: Springer-Verlag New York, Inc.

Additional Information: full citation, references, citings Full text available: pdf(1.38 MB)

19 Technical contributions: Some Pascal style guidelines



David Marca

April 1981 ACM SIGPLAN Notices, Volume 16 Issue 4

Publisher: ACM Press

Full text available: pdf(525.92 KB) Additional Information: full citation, abstract, references, citings

The need for developing a style of writing Pascal programs to allow reasonable rehosting success prompted a study on Pascal style. Presented is a subset of guidelines developed from that research, plus some philosophy behind proper interpretation and enforcement of those guidelines. Styling is defined for the programming areas of: description using comments, expression with identifier names and conditionals, and the constructs of block, decision, repetition, and qualification. Enforcement of sty ...

20 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research

Publisher: IBM Press

Full text available: pdf(4.21 MB)

Additional Information: full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	format\$ same text same consisten\$ same table same bullet\$	USPAT	OR	OFF	2005/11/04 17:19
L3	31	format\$ same text same consisten\$ same table	USPAT	OR	OFF	2005/11/04 17:19
L4	58	(format\$ and document).ti.	USPAT	OR	OFF	2005/11/04 17:19
L5	0	(format\$ and document and text).ti.	USPAT	OR	OFF	2005/11/04 17:19
L6	135	(format\$ and document and text). ab.	USPAT	OR	OFF	2005/11/04 17:19
L7	16	(format\$ and document and text and (consisten\$ or maintain\$)).ab.	USPAT	OR	OFF	2005/11/04 17:19
L8	135	(format\$ and document and text). ab.	USPAT	OR	OFF	2005/11/04 17:19
L9	8	format\$ same document same text same inconsisten\$	USPAT	OR	OFF	2005/11/04 17:19
L10	391	format\$ same document same text same table	USPAT	OR	OFF	2005/11/04 17:19
L11	229	format\$ same document same text same table same data	USPAT	OR	OFF	2005/11/04 17:19
L12	23	format\$ same document same text same table same data same location	USPAT	OR	OFF	2005/11/04 17:19
L13	6	format\$ with inconsisten\$ with document	USPAT	OR	OFF	2005/11/04 17:19
L14	28	format\$ with inconsisten\$ with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:19
L15	67	format\$ same document same text same table same data same location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:19
L16	4766	interactive with format\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:19
L17	221	interactive with formatting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:19

				····		
L18	0	interactive with format\$ with checker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:19
L19	282	format\$ with checker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:19
L20	33	(format\$ with checker) and document and text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:19
L21	42	(format\$ and \$consisten\$ and (text or word) and document).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:19
L22	12	("4328561" "4396992" "4459049" "4464070" "4650349" "4777596" "4830521" "4907173" "4916656" "5258909" "5576955" "5600556").PN.	USPAT	OR	OFF	2005/11/04 17:19
L23	12	"5761689".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L24	16	("4797855" "4847766" "4914704" "4969097" "5091878" "5251292" "5317647" "5377309" "5390281" "5452206" "5469538" "5479563" "5484214" "5546538" "5621875").PN.	USPAT	OR	OFF	2005/11/04 17:19
L25	12	"5778402".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L26	12	"5778402".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L27	10	("5146552" "5475805" "5581682" "5689717" "5832474" "5857212" "5873111" "5893125" "6128632" "6230169").PN.	USPAT	OR	OFF	2005/11/04 17:19
L28	2	"6332148".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L29	6	("4751740" "4803643" "4829470" "4951233" "4970665" "5033008").PN.	USPAT	OR	OFF	2005/11/04 17:19
L30	0	RE36704.URPN.	USPAT	OR	OFF	2005/11/04 17:19
L31	12	("4328561" "4396992" "4459049" "4464070" "4650349" "4777596" "4830521" "4907173" "4916656" "5258909" "5576955" "5600556").PN.	USPAT	OR	OFF	2005/11/04 17:19
L32	12	"5761689".URPN.	USPAT	OR	OFF	2005/11/04 17:19

ſ						
L33	2	("5070478" "5079724").PN.	USPAT	OR	OFF	2005/11/04 17:19
L34	6	"5621875".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L35	23	("4797855" "4847766" "4914704" "4969097" "5091878" "5251292" "5317647" "5377309" "5390281" "5437036" "5452206" "5469538" "5479563" "5479596" "5484214" "5546538" "5600556" "5621875" "5623406" "5649223" "5754737" "5761689" "5778402").PN.	USPAT	ÖR	OFF	2005/11/04 17:19
L36	8	"5900004".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L37	37	manag\$ with text with format\$ with document	USPAT	OR	OFF	2005/11/04 17:19
L38	1	(manag\$ with text with format\$ with document) and styles	USPAT	OR	OFF	2005/11/04 17:19
L39	374	text with styles	USPAT	OR	OFF	2005/11/04 17:19
L40	37	text with styles with document	USPAT	OR	OFF	2005/11/04 17:19
L41	2586	(store\$1 storing) with format\$ with (section)	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L42	1210	(store\$1 storing) with format\$ with attribute\$1	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L43	54	(store\$1 storing) with format\$ with attribute\$1 with "same"	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L44	12631	format\$ with \$consisten\$	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L45	2	(format\$ with \$consisten\$) same (store\$1 storing) same document same section\$1	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L46	10598	data same table same format\$ same (store\$1 storing)	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L47	177	data same table same format\$ same (store\$1 storing) same \$consisten\$	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L48	3086138	@ad<="20000623"	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L49	49	(data same table same format\$ same (store\$1 storing) same \$consisten\$) and @ad<="20000623"	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L50	3399154	@ad<="20010623"	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L51	70	@ad<="20010623" and (data same table same format\$ same (store\$1 storing) same \$consisten\$)	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19

L52							
L54 293	L52	431	(format\$ with check\$).ti,ab.		OR	OFF	2005/11/04 17:19
With check\$\),ti,ab.\)	L53	312			OR	OFF	2005/11/04 17:19
USPAT; USOCR	L54	293	= : ; ;	USPAT	OR	OFF	2005/11/04 17:19
USPAT; USOCR USPAT; USOCR USPAT; USOCR USPAT; USOCR USPAT; USOCR USPAT; USOCR USPAT; USPAT USP	L55	137	(715/542).CCLS.	USPAT;	OR	OFF	2005/11/04 17:19
With (store stored storage storing) USPAT US-PGPUB; With (store stored storage storing)) USPAT US-PGPUB; With (store stored storage storing))) uSPAT US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; USPAT; USOCR USPAT; USOCR USPAT; USOCR USPAT; USOCR USPAT; USOCR USPAT USPAT OR OFF 2005/11/04 17:19 USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; E	L56	990	(715/530).CCLS.	USPAT;	OR	OFF	2005/11/04 17:19
With (store stored storage storing)) and @ad <="20010623" US-PGPUB; US-PAT; USOCR US-PGPUB; USPAT; USOCR USPAT OR OFF 2005/11/04 17:19 USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; E	L57	305			OR	OFF	2005/11/04 17:19
USPAT; USOCR	L58	226	with (store stored storage storing)))		OR	OFF	2005/11/04 17:19
Same table same bullet\$ L61	L59	643	(715/531).CCLS.	USPAT;	OR	OFF	2005/11/04 17:19
L62 391 format\$ same document same text same table USPAT OR OFF 2005/11/04 17:19	L60	0		USPAT	OR	OFF	2005/11/04 17:19
same table L63	L61	0	(format\$ and document and text).ti.	USPAT	OR	OFF	2005/11/04 17:19
same table same data L64 4766 interactive with format\$ US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB L65 221 interactive with formatting US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB L66 0 interactive with format\$ with checker US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB L67 282 format\$ with checker US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB OR OFF 2005/11/04 17:19 US-PGPUB; U	L62	391	· ·	USPAT	OR	OFF	2005/11/04 17:19
L65 221 interactive with formatting US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB L66 0 interactive with format\$ with checker L67 282 format\$ with checker USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	L63	229	1	USPAT	OR	OFF	2005/11/04 17:19
L66 0 interactive with format\$ with checker US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB L67 282 format\$ with checker US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	L64	4766	interactive with format\$	USPAT; EPO; JPO; DERWENT;	OR	OFF	2005/11/04 17:19
checker Checker USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; IBM_TDB	L65	221	interactive with formatting	USPAT; EPO; JPO; DERWENT;	OR	OFF	2005/11/04 17:19
USPAT; EPO; JPO; DERWENT; IBM_TDB	L66	0	The state of the s	USPAT; EPO; JPO; DERWENT;	OR		2005/11/04 17:19
L68 0 RE36704.URPN. USPAT OR OFF 2005/11/04 17:19	L67	282	format\$ with checker	USPAT; EPO; JPO; DERWENT;	OR .	OFF	2005/11/04 17:19
	L68	0	RE36704.URPN.	USPAT	OR	OFF	2005/11/04 17:19

	r					
L69	374	text with styles	USPAT	OR	OFF	2005/11/04 17:19
L70	2586	(store\$1 storing) with format\$ with (section)	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L71	1210	(store\$1 storing) with format\$ with attribute\$1	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L72	12631	format\$ with \$consisten\$	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L73	10598	data same table same format\$ same (store\$1 storing)	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L74	3086138	@ad<="20000623"	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L75	3399154	@ad<="20010623"	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L76	431	(format\$ with check\$).ti,ab.	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L77	305	((715/530).CCLS.) and (format\$ with (store stored storage storing))	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L78	1	(manag\$ with text with format\$ with document) and styles	USPAT	OR	OFF	2005/11/04 17:19
L79	31	format\$ same text same consisten\$ same table	USPAT	OR	OFF	2005/11/04 17:19
L80	58	(format\$ and document).ti.	USPAT	OR	OFF	2005/11/04 17:19
L81	16	(format\$ and document and text and (consisten\$ or maintain\$)).ab.	USPAT	OR	OFF	2005/11/04 17:19
L82	8	format\$ same document same text same inconsisten\$	USPAT	OR	OFF	2005/11/04 17:19
L83	23	format\$ same document same text same table same data same location	USPAT	OR	OFF	2005/11/04 17:19
L84	6	format\$ with inconsisten\$ with document	USPAT	OR	OFF	2005/11/04 17:19
L85	28	format\$ with inconsisten\$ with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:19
L86	67	format\$ same document same text same table same data same location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:19
L87	33	(format\$ with checker) and document and text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:19

L88	42	(format\$ and \$consisten\$ and (text or word) and document).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:19
L89	12	("4328561" "4396992" "4459049" "4464070" "4650349" "4777596" "4830521" "4907173" "4916656" "5258909" "5576955" "5600556").PN.	USPAT	OR	OFF	2005/11/04 17:19
L90	12	"5761689".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L91	16	("4797855" "4847766" "4914704" "4969097" "5091878" "5251292" "5317647" "5377309" "5390281" "5452206" "5469538" "5479563" "5479596" "5484214" "5546538" "5621875").PN.	USPAT	OR	OFF	2005/11/04 17:19
L92	12	"5778402".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L93	12	"5778402".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L94	10	("5146552" "5475805" "5581682" "5689717" "5832474" "5857212" "5873111" "5893125" "6128632" "6230169").PN.	USPAT	OR	OFF	2005/11/04 17:19
L95	2	"6332148".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L96	6	("4751740" "4803643" "4829470" "4951233" "4970665" "5033008").PN.	USPAT	OR	OFF	2005/11/04 17:19
L97	12	("4328561" "4396992" "4459049" "4464070" "4650349" "4777596" "4830521" "4907173" "4916656" "5258909" "5576955" "5600556").PN.	USPAT	OR	OFF	2005/11/04 17:19
L98	12	"5761689".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L99	2	("5070478" "5079724").PN.	USPAT	OR	OFF	2005/11/04 17:19
L100	6	"5621875".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L101	23	("4797855" "4847766" "4914704" "4969097" "5091878" "5251292" "5317647" "5377309" "5390281" "5437036" "5452206" "5469538" "5479563" "5479596" "5484214" "5546538" "5600556" "5621875" "5623406" "5649223" "5754737" "5761689" "5778402").PN.	USPAT	OR	OFF	2005/11/04 17:19
L102	8	"5900004".URPN.	USPAT	OR	OFF	2005/11/04 17:19
L103	37	manag\$ with text with format\$ with document	USPAT	OR	OFF	2005/11/04 17:19

L104	37	text with styles with document	USPAT	OR	OFF	2005/11/04 17:19
L105	· 54	(store\$1 storing) with format\$ with attribute\$1 with "same"	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L106	2	(format\$ with \$consisten\$) same (store\$1 storing) same document same section\$1	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L107	49	(data same table same format\$ same (store\$1 storing) same \$consisten\$) and @ad<="20000623"	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L108	70	@ad<="20010623" and (data same table same format\$ same (store\$1 storing) same \$consisten\$)	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L109	135	(format\$ and document and text). ab.	USPAT	OR	OFF	2005/11/04 17:19
L110	135	(format\$ and document and text). ab.	USPAT	OR	OFF	2005/11/04 17:19
L111	177	data same table same format\$ same (store\$1 storing) same \$consisten\$	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L112	137	(715/542).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/04 17:19
L113	293	@ad<="20010623" and ((format\$ with check\$).ti,ab.)	USPAT	OR	OFF	2005/11/04 17:19
L114	226	(((715/530).CCLS.) and (format\$ with (store stored storage storing))) and @ad<="20010623"	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L115	312	@ad<="20010623" and ((format\$ with check\$).ti,ab.)	US-PGPUB; USPAT	OR	OFF	2005/11/04 17:19
L116	643	(715/531).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/04 17:19
L117	990	(715/530).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/04 17:19